

Appendix 6: Contractors Who May Have Exercised Actual Control or Who May Have Held Significant Authority to Control Activities at Rivergate or Terminal.

Contractor	Ash Grove Facility	Business Address	Contact Name	Job title, position, or business	Business Phone Number	Notes
Accurate Concrete Cutting	Terminal	P.O. Box 5798 Vancouver, WA 98668	Joe Neal	Estimating	(503) 285-6731	Concrete installation and demolition services
Aerzen USA Corporation	Terminal	313 National Rd Exton, PA	Ralf Weiser		215-524-9870	
Aratex Services (Cintas)	Rivergate	Cintas 9045 N Ramsey Blvd Portland, OR 97203				Transport oily rags off-site for cleaning
Applied Geotechnology Inc.	Overland Park		Bart G. Bretherton Patrick B. Kelly, P.E.	Hydrogeologist Vice President		
Atascosa Pipeline Construction Consultants, Inc.	Rivergate	117 Crestline Drive Pleasanton, TX 78064	Melvin H. Schulze		512-569-3015	Furnished construction management services for construction of natural gas pipeline (with OSM)
Baugh Industrial Contractors, Inc.	Rivergate	3005 SW 154th Terrace, Suite 6 Beaverton, OR 97006	Chris Anderson	Project Manager	503-646-9328	Roller Mill design
Brown, Venice and Associates	Rivergate	11022 Winners Circle Dr Suite 208 Los Alamitos, CA 90720			562-594-7190	Engineering but they have been onsite (landfill gas)
Burlington Environmental, Inc	Terminal	20245 77 th Ave S Kent, WA 98032	Cathy Swick	Designated Facility Representative	253-383-3044	Dispose paint-related materials
Calcimatic Canada, Ltd	Rivergate	123 Eglinton Ave E Toronto 12, Canada	P.V. Boume		416-231-7261	Various construction projects on-site
			P.V. Boume		416-231-7261	
		2 Dunbloor Rd Toronto, Canada	G. E. Kashul			
			J.A. Dick		416-485-6517	
			K.V. White	Superintendent		
Carlson Testing, Inc.	Rivergate and Terminal	PO Box 23814 Tigard, Oregon 97281			503-684-3460	Concrete testing results.
CH2M Hill	Rivergate	827 NE Multnomah Blvd Portland, OR 97232	Darrin Davies		503-235-5000	outfall work for railroad
Columbia Asbestos Inc. Industrial & Commercial Insulation Contractors	Rivergate	723 N Tillamook Portland, OR 97227	James M. Stilson		503-288-7048	Asbestos insulation of oil tank
Columbia Metal Works, Inc.	Terminal	P.O. Box 61982 Vancouver, WA 98666			360-693-5818	Transport process residue and cement (from a single event) off-site
Combustion Engineering, Inc.	Rivergate					Electrical engineering services
Corrosion Control Specialists	Overland Park	P.O. Box 5303 Kent, WA 98064-5303	Kenneth Williams			Review of steel tank floors and integrity testing by corrosion control specialists
Dix Corporation	Rivergate	4024 S. Grove Road Spokane, WA 99224	Mike Ferguson	Marketing	509-838-4455	Mechanical installation - hydrator
Donald M. Drake Company	Terminal	1740 NW Flanders St. Portland, OR 97209	Bruce Van Hine	Project Manager		Main contractor for south terminal
Dunkin & Bush, Inc.	Rivergate and Terminal	PO Box 6858 Portland, OR 97228	Pete Weese	Regional Manager	503-289-2272	Performed painting work

Ash Grove Cement Company
Response to EPA's 104(e) Request

Appendix 6: Contractors Who May Have Exercised Actual Control or Who May Have Held Significant Authority to Control Activities at Rivergate or Terminal.

Contractor	Ash Grove Facility	Business Address	Contact Name	Job title, position, or business	Business Phone Number	Notes
Eastern Electric Apparatus Repair Company, Inc.	Rivergate	10831 E. Marginal Way S. Seattle, WA 98168	Larry Robinson	Transporter Representative	206-767-9506	Off-site transport and disposal of PCB transformer oil and PCB-containing capacitors
		9442 N. Ramsey Blvd. Portland, OR 97203	Don Haas	Field Service Technician	(503) 286-1500	Collected and submitted transformer oil samples to Oregon Analytical Lab (Beaverton, OR) for testing.
E.J. Bartells Co.	Rivergate					Insulation repairs in the kiln area
Elder Demolition	Terminal	6400 SE 101 Street, Suite 201, Portland, OR 97266	Travis Stone	Estimating	(503) 760-6330	Pile driving for pipe conveyor
Electrical Construction Co.	Rivergate, Terminal	2121 NW Thurman St PO Box 10286 Portland, OR 97296	Scott Royle	Project Manager	503-220-5375	main electrical contractor
Electrix	Terminal	115 V Street, Vancouver, WA 98661	Wayde Miller	Project superintendent	(360) 694-5094	Electrical contrator
Entek Corporation	Rivergate	Vancouver, WA			206-695-4118	Install and service and AC and heating
Enviroclear	Terminal					Pump sewer holding tank
Environmental Business Solutions	Terminal	11954 NE Glisan PMB #241 Portland, OR 97220	Arthur Marx	Senior Environmental Engineer		Handled truck wash sediment
			Jim Hinkley	President	503-969-3900	
			Marcus D. Orange	Storm/Industrial Waste Water Consultant	503-519-2719	
Environmac	Terminal					Pump sewer holding tank
FL Smidth, Inc	Terminal					pipe conveyance system project
Fuel Processors Inc.	Rivergate					Transport oily materials, used oil, used oil filters, and used antifreeze off-site
Fuller Company (same as FL Smidth)	Terminal					pipe conveyance system project
Geotechnical & Environmental Consultants	Terminal	9725 SW Beaverton Hillsdale Hwy Ste 140 Portland, Oregon 97005	Michael W. Reed	Principle	503-641-3478	Shoreline repair project
Graymont Western US Inc.,	Rivergate	11 Bellwater Way Suite 201 Bellingham, WA 98225	Wayne Wagner	Executive Vice President Sales		lease part of Rivergate
Greenbury Industrial	Terminal		Tom McLaughlin			construction of North Terminal
H.A. Andersen Company	Rivergate	P.O. Box 13367 Portland, OR 97213				Installed kiln foundations
H.K. Ferguson Company Engineers and Builders	Rivergate	120 Montgomery St San Francisco 4, CA	L.J. Berman	Project Engineer		General Rivergate plant construction project
			Mr. Fliehmann			
Harding Lawson Associates	Rivergate	115 SW Ash St, Suite 525 Portland, OR 97204			503-227-1326	Landfill gas system
Hickey Marine Enterprises	Rivergate	6801 NW Old Lower River Road Vancouver, WA 98660	Greg Speyers		360-695-4553	Dredge project
		6035 NW Lower River Rd. Vancouver, WA 98660				

Ash Grove Cement Company
Response to EPA's 104(e) Request

Appendix 6: Contractors Who May Have Exercised Actual Control or Who May Have Held Significant Authority to Control Activities at Rivergate or Terminal.

Contractor	Ash Grove Facility	Business Address	Contact Name	Job title, position, or business	Business Phone Number	Notes
Horizon Engineering	Rivergate	13585 NE Whitaker Way Portland Oregon 97230	Brian Falvin	Team Leader		Stack testing - several projects at Rivergate
			David Bagwell	Report Review		
			Kurt D. Torgerson		(503) 255-5050	
			David Rossman	Professional Engineer	503-255-5050	
			Steffan Johnson			
			Nichole Karl	Project Coordinator	503 - 255 - 5050	
Integral Consulting Inc.,	Rivergate	1205 West Bay Dr. Olympia, WA 98502	Sandy Browning	Managing Scientist	(360)705-3534	Conducted sediment sampling in the Lower Willamette River
Jammie's Environmental	Terminal	120 Industrial Way Longview, WA 98032	Steven Nein			Cleanup of oily water
			Jason Harvel			
JHI Engineering, Inc.	Rivergate	3420 SW Macadam Ave Portland, OR 97201	Michael J. Hunter	Project Manager	503-223-7799	Engineering services and project management
Keystone Contracting Inc.	Rivergate	417 NW 209 th St Ridgefield, WA 98642	Tim Brusseau		360-887-0868	Off-site transport and disposal asbestos-containing material
			Kenny Johns			
			Rob Walkenhauel			
Kiewit						
Long Painting Company	Rivergate		Vince Guymon	Project Manager		Painting project
M.H. Detrick Co.	Rivergate		Alan D. Foltz			Kiln roof repairs
Marine & Environmental Testing, Inc	Rivergate	PO BOX 1142 Beaverton, OR 97075	Scott P. Hernandez		503-282-6920	Conducted visual survey of site for asbestos.
Maul Foster & Alongi, Inc Environmental & Engineering Consultants	Terminal	7223 NE Hazel Dell Ave, Suite B Vancouver, WA 98665	Alistaire Clary, PE	Senior Engineer	360-694-2691	Stormwater studies and pH system upgrade, SPCC plans, and SWPCP plans
			Bill Hines	GIS Analyst	360-694-2691	
			Michael Rounds EIT	Staff Engineer	360-694-2691	
MESA, LLC. Environmental Consulting Services	Rivergate					Asbestos Survey
Mettler Toledo	Terminal, Rivergate	20150 SW Avery Ct., Tualatin, OR 97062	Walt Miller, Dana Minor	Project superintendent	(800) 927-2253	Weigh scale installation and services
Minister-Glaeser Surveying, Inc.	Terminal, Rivergate	2200 E. Evergreen Blvd. Vancouver, WA 98661				Bathymetric surveys
Metropolitan Disposal and Recycling	Terminal	P.O. Box 11229 Portland, OR				Collect and dispose of general trash
MVT (FL Smith)	Terminal					pipe conveyor
MVT Materials Handling GmBH	Terminal					
Northwest Metal Fab. & Pipe Inc.	Rivergate		William R. Morgan	President		Maintenance on pipeline
Northwest Natural Gas Co	Rivergate	220 NW Second Ave. Portland, OR 97209	Werner Gerling	Manager, Industrial Marketing		Maintenance on pipeline
			Bob Wyatt	Co-Chairperson		
NRC Environmental	Rivergate		Jeff Walters		800-290-1655	Transported debris from tank cleaning and process residue
Oil Refining	Rivergate, Terminal	4150 N Suttle Rd Portland, OR 97217	Bill Briggs			Dispose used oil, used oil filters, floor dry, and oil absorbent materials
OMNI Environmental Services, Inc.	Rivergate	5464 SW Western Ave Suite M Beaverton, OR 97005	Alisa Davis	Administrative Manager	(503) 643-3788	Source Testing
			Linda McRae	Environmental Scientist	(503) 643-3788	
			Gary W. McRae	Source Test Manager	503-643-3788	

Appendix 6: Contractors Who May Have Exercised Actual Control or Who May Have Held Significant Authority to Control Activities at Rivergate or Terminal.

Contractor	Ash Grove Facility	Business Address	Contact Name	Job title, position, or business	Business Phone Number	Notes
PBS Environmental	Rivergate, Terminal	1310 Main St Vancouver, WA 98660	Robert L. Boese	Environmental Planner	360-213-0444	Installation and testing of of groundwater wells at Rivergate, Dredge project at Terminal
			Christy McDonough			
			Douglas Hancock			
		4412 SW Corbett Portland, OR 97239	Ron Rathburn	Senior Ecologist Manager	360-690-4331	
			Heidi Y Yantz	Hydrogeologist	503-248-1939	
			1220 SW Morrison Street. Suite 600 Portland, OR 97205	Dolce Barry		
Erick Anderson	Senior Geologist	503-417-7594				
Petroleum Equipment Maintenance Co. (PEMCO) Environmental Division	Rivergate	2310 NE Columbia Blvd Portland, OR 97211	Bill Knuston, Judy Palermo, J. Henson		503-288-7541	AGC assumes this refers to soil samples taken when Rivergate removed the 550 gal. tank in Feb., 1990.
Perkins Engineering, Inc.	Rivergate	9660 SW Ventura Ct Portland, OR 97223			503-293-6898	Ag mill installation
Philips Services Corporation (PSC)	Rivergate	1806 Baker Way Loop Kelso , WA 98626				Dispose debris from tank cleaning and process residue
PGE Environmental Services	Rivergate		Kim Hughes			Cut trees for powerline clearing
Phoenix Industrial	Rivergate and Terminal	2111 SE Columbia Way Building 7, Suite 120 Vancouver, WA 98661	Joseph H. Hutton, P.E.	Oregon Contractor #149895	360-567-1666	Involved with Kiln Water Recirc. Project; Pipe conveyor, multiple capital and construction projects
Ponder Burner Company	Rivergate	700 S. 37th Street Washougal, WA 98671	Dick Law	Principal	360-335-1443	Flame Management/Combustion Engineering
Power Engineers	Rivergate	290 N. Maple Grove Boise, ID 83704			208-378-0022	Engineering for Ag Mill #4
Ramsey Scale Company, Inc.	Rivergate	1853 W Country Rd C St. Paul, Minnesota 55113	Bill Harris			Truck scale installation
Rees Dust Control Equipment	Rivergate	2929 Fifth St Berkeley, CA 5714 Morgan Ave Los Angeles, CA				installed dust collectors
River City Disposal and Recycling (aka River City Environmental)	Terminal	P.O. Box 30087 Portland, OR 97294			503-253-5656	Pumped sewage holding tank, cleaned stormwater drains and filters
Ross Island Sand & Gravel CO.	Terminal	4315 South East McLoughin Blvd. Portland, Oregon 97282	Paul T. Godsil		503-239-5504	Shoreline Stabilization Project
RZA Agra Inc. Engineering and Environmental Services	Terminal	7477 SW Tech Center Dr Portland, OR 97223	Stuart Albright			Identified in 1/25/1993 letter from Portland Bureau of Budlings as company that will be performing Special Inspections in accordance with the PDX Building Code, etc., onsite during construction of terminal
Saif Corporation Portland West Branch	Rivergate	9320 SW Barbur Boulevard P.O. Box 192008 Portland, OR 97219	Rose Ann Moorman	Industrial Hygenist	503-244-0216	on-site noise survey

Ash Grove Cement Company
Response to EPA's 104(e) Request

Appendix 6: Contractors Who May Have Exercised Actual Control or Who May Have Held Significant Authority to Control Activities at Rivergate or Terminal.

Contractor	Ash Grove Facility	Business Address	Contact Name	Job title, position, or business	Business Phone Number	Notes
Seaspan Internation Ltd.	Rivergate	10 Pemberton Ave North Vancouver, B.C., Canda, V7P 2R1	John R. Barker	Vice President - Marketing	(604) 988-3111	Barge/towing services
Schnitzer Steel	Rivergate	12005 N Burgard Road Portland, OR 97203				Accepted steel and metal scraps for recycle
Schulz Sanitation DBA McInnis Ent. Ltd. Co	Terminal	10643 N.E. Simpson Portland, Oregon 97220				Pumped sewage holding tank
Siemens-Allis Industrial Controls	Terminal					electrical vendor
Sines Construction, Inc.	Rivergate, Terminal		Craig Sines			Paving services and rail work
Smith Monroe Gray Engineering Inc.	Rivergate	Park Plaza West Suite 210 10700 SW Beaverton Hwy Beaverton, OR 97005	Steve Rinella		503-643-8595	Engineering and construction management services
Synder Roofing	Terminal	12650 SW Hall Blvd Tigard, OR 97223	Don Koffel	Estimating	(503) 620-5252	Roof installation and repair
Spencer Environmental Services	Terminal	PO Box 5207 914 Molalla Avenue	Eric Spencer	Operations Manager		Dispose used oil filter, used antifreeze and oil recycling (used oil vendor at Rivergate)
			Kathleen Hetzel			
Stevens Engineering, Inc.	Rivergate	9660 SW Ventura Ct. Tigard, OR 97223-1142				Engineering and construction management services
Storch Corporation Engineers	Rivergate	2300 SW First Avenue Portland, OR 97201	Werner S. Storch		503-224-4530	Natural gas pipeline
	Terminal	703 Broadway Vancouver, WA			206-694-0335	Engineering for South Terminal
SunWest Energy Corporation	Rivergate, Terminal	PO Box 17008 Portland, OR 97217	Bruce R. Geis			Transported and disposed of used oil
Swan Island Sheet Metal	Rivergate					Mechanical fabrication and installation
The Hartford Steam Boiler Inspection and Insurance Co.	Rivergate	3513 Mountaire Dr. Antioch, CA 94507	Robert Drake	Senior Inspector	415-757-0527	Pressure vessels inspection
		San Francisco Office 1800 Sutter Street	Donald M. Von Tungeln	Boiler and Machinery Inspector	510-798-7890	
			Michael McClenehan		503-285-4621	
The Mogul Corporation Northwest Division	Rivergate	2852 N.W. 31st Avenue Portland, OR 97210	D.G. Rowles	Division Engineer	503-226-1451	cyclone source testing
Thermo Electron Corporation	Terminal	1410 Gillingham Lane Sugar Land, TX 77478			800-437-7979	Transported Kay-Ray gauge to off-site disposal
Tidal Transport	Terminal	Suite #1 - 3W, 3250 NW Yeon Avenue Portland, OR 97210	Andrew Alberson	Captain of the Port	503-222-6201	Ship Services
U.S. Industrial Automation, Inc.	Riverg	14511 NE 10th Ave Suite B Vancouver, WA 98685			360-546-5578	Upgrade/automate #1-3 AG mills with Allen Bradley PLC process controls
UniField Engineering	Rivergate, Terminal	10220 N. Nevada St. Ste. 270A Spokane, WA 99218	Jim Black	Senior Project Engineer	509-468-4244	Engineering and project management
Union Pacific Railroad	Rivergate, Terminal	1400 Douglas Street Stop 1690 Omaha, Nebraska 68179	Bob Ford	Manager Track	402-544-2623	Rail work

Ash Grove Cement Company
Response to EPA's 104(e) Request

Appendix 6: Contractors Who May Have Exercised Actual Control or Who May Have Held Significant Authority to Control Activities at Rivergate or Terminal.

Contractor	Ash Grove Facility	Business Address	Contact Name	Job title, position, or business	Business Phone Number	Notes
Universal Dynamics Limited	Rivergate	100-13700 International Place Richmond, BC V6V 2X8 Canada	Rob Harrison			Engineering and project management
Universal Dynamics America Corporation	Rivergate	12009 NE 99th St, Suite 1470 Vancouver, WA 98682	Ronald J. Thompson, PE	General Manager	360-253-2793	Consultant for SPCC Plan at Rivergate.
URS Corporation	Rivergate					Geotechnical consultation
Van Aalst Bulk Handling	Terminal	Overslog 12b, 2771 CE Boskoop, Holland	Doug George	Project superintendent	(402) 362-6153	Ship unloading system design, commissioning and stevedore training
Veolia Environmental Services	Rivergate					Transported used light bulbs off-site for recycle/disposal
VR Systems Inc.	Rivergate	2408 Mercury Odessa, TX 79763			800-478-0011	outside of investigation area
Wagester, Walker, Thornton & Co., Inc.	Terminal	312 Empire Building Pittsburgh, Pennsylvania 15222				Proposal for Kiln no.3 coal combustion system
Waste Management Hillsboro Landfill, Inc.	Rivergate, Terminal	3205 SE Minter Bridge Road Hillsboro, OR 97123				Disposed of refuse, general trash, used baghouse filter bags, and waste wood
WasteXpress Environmental Services (formerly EBS)	Terminal					Disposal/ Recycling for truck wash sludge disposal and process residue
Water Techtonics	Terminal	802 134th St SW Suite 110 Everett, WA 98204 22833 Bothell Everett Highway Suite 200 Bothel, WA 982021	Jim Mothersbaugh	President	425-402-1659 (B) 206-947-5922 (Mobile)	stormwater treatment system upgrade
WAUSAU HPR Engineering	Rivergate		Bill Deeks	Senior Fire Protection Specialist		NFPA (natl fire protection assoc) inspector
West Coast Marine Cleaning	Terminal	3501 Thompson Ave. Vancouver, WA 98660				Ship services
Western Transportation Co. A James River Company	Rivergate	3710 NW Front Ave Portland, OR 97210	Robert Kimes		503-294-8200	Dolphin installation
Westmar Consultants Corp	Rivergate, Terminal	6601 NE 78th Ct Suite A-1 Portland, OR 97218	Gerry Bader, P.E.	Project Manager	(503) 256-7670	Engineering and construction management services
			Rachael Brake	Construction Manager	(503) 256-7670	
Westside Painting, INC.	Terminal	P.O. Box 6986 Portland, Oregon 97228	Kase F. Limmeroth		503-223-0514	Correspondance shows type of paint used on site for a painting project.
Whitaker Ellis	Terminal	9400 SW Barbur Blvd, Portland, OR 97219	Greg Whitaker	Vice President	(503) 768-3017	Construction and concrete services during construction of north terminal
Zurich Services Coporation Risk Engineering	Rivergate and Terminal	3411 NW 116th Way Vancouver, WA 98685	Jyh-Her Liang	Senior Risk Engineering Consultant	360-576-9832	Conducted pressure vessel surveys.